2023-2024 AP Chemistry Summer Assignment

Future AP Chemistry Student,

Welcome to AP Chemistry! I look forward to meeting/seeing you in the fall. In order to ensure the best start for everyone, I have prepared a summer assignment that reviews basic chemistry concepts. If you have taken HS chemistry before, then this material will be an essential review. If you have never taken chemistry, then this material will build the foundation you will need to begin learning college level chemistry on the first day. I expect you to be proficient in topics covered in chemistry 1, especially stoichiometry and naming/writing formulas. We will do some review, but extensive remediation is not an option as we work towards our goal of being 100% prepared for the AP Exam in early May 2024.

Be prepared for a course that is graded with college level expectations. Majority of the grade is based on formal assessments (tests) and laboratory investigations at a level to prepare you for the AP test. There will also be homework grades, but do not expect any curves, reassessments, or "fluff" assignments. Be aggressive in pursuit of knowledge not just the grades. Prioritize your time, do not procrastinate until the last moment, get help in class, participate in class discussions, and seek support before grades sink.

Spread out the summer assignment. Please do not try to complete it all in the final week of the summer. Chemistry takes time to process and grasp at a level necessary for success in AP Chemistry. Remember, AP Chemistry is an equivalent course to Introductory Chemistry in college. Taking a college level course in high school is difficult, requires dedication, and is a great investment in your education so prepare yourself and arrive ready to learn.

Have a great summer and look forward to an exciting, challenging year of chemistry,

Mrs. House

Summer Assignment:

Use print and internet resources to complete the following problems. The URLs below represent a fraction of the available chemistry sites available. Please feel free to expand the list and find other websites that help prepare you for the coming year. I recommend that you complete as many online quizzes as possible, take detailed notes, and practice the items indicated in the packet.

Completed work must be submitted by Thursday August 3rd, 2023. Let me know if there are any problems in completing the assignment on time. A list of resources recommended by the College Board has been provided for your reference. You do not need all the resources to complete the assignment. Any basic chemistry text-book, your old chemistry notes, or a google search can help you find the information needed to complete the summer assignment.

http://media.collegeboard.com/digitalServices/pdf/ap/ap-chemistry-course-and-exam-description.pdf http://www.collegeboard.com/ap/students/chemistry/index.html www.chemmybear.com (Note: hyperlink doesn't work, but it is a great website!) https://chemfiesta.org http://science.widener.edu/svb/tutorial/rxnbalancingcsn7.html http://www.chemistry-drills.com/balance.html www.chemteam.info https://www.youtube.com/user/tdewitt451

Show work for all the problems. ONLY handwritten answers on a SEPARATE sheet of paper will be accepted! You do NOT have to rewrite the questions nor write in complete sentences. USE SIGNIFICANT FIGURES and include units when necessary.

1) Explain the rule for determining the number of significant figures in a given value. 2) Explain the process of measuring (volume, length, temperature, etc.) using appropriate significant figures. 3) Explain the rules for determining sig figs when multiplying or dividing AND adding or subtracting. 4) How many sig figs are in the following numbers? a. 420.0 d. 0.0000476 g. 10. b. 7589 e. 4.30000 x 10⁻²² h. 0.0000004 c. 432506.43 f. 35.17 8671.5 i. 5) Answer the following with the appropriate number of sig figs: a. 44.79-2.3-0.0045= b. 422.6 + 23.135 + 310.04= c. $4.000 \times 10^{15} / 6.02 \times 10^{23} =$ d. (72) (4.022) / 9.03 = 6) Express the following in scientific notation: a. 0.0000902 c. 77,000,000,000 b. 0.00755 d. 231,000 7) Convert the following values: c. 36.0 cm/s to miles/hour a. 78.90 cm into km b. 9.00 x 10²³ μm into Mm d. 13.6 g/mL into kg/m³ 8) Label each of the following as either a physical process or a chemical process. a. Corrosion of f. Sublimation of dry ice d. Digesting a candy bar. aluminum metal. e. Explosion of (CO_2) b. Melting of ice. nitroglycerin. c. Pulverizing an aspirin. 9) You may notice when water boils, you can see bubbles that rise to the surface of the water. a. What is inside these bubbles? b. Is the boiling of water a chemical or physical change? Explain. 10) Explain the main differences between the solid, liquid, and gas phase of matter. 11) Define the words: atomic number, atomic mass, mass number, molecular formula, empirical formula, isotopes, cation, anion, polyatomic ion, metalloid, alloy and allotrope. 12) Dalton assumed that all atoms of the same element were identical in all their properties. Explain why this assumption is not valid. 13) State the contribution of the following chemists: a. Democritus d. Faraday g. Madam Curie b. Mendeleev e. Chadwick Dalton h. c. J.J. Thompson f. Millikan i. Rutherford 14) Explain the differences between element, compound, mixture, and solution. 15) In an experiment, a student gently heated a hydrated copper hydrate to remove the water from the copper. The following data was recorded: Calculate the experimental percent of water in the compound. Mass of crucible, cover, and contents before heating 23.4 g. Mass of empty crucible and cover 18.82 g. Mass of crucible, cover, and contents after heating to constant mass 20.94 g. 16) Determine the number of protons, neutrons, and electrons in the following: b. ${}^{35}_{17}Cl^{-}$ a. ${}^{7}_{2}Li^{+1}$ c. ${}^{24}_{12}Mg^{+2}$ 17) Copper is made up of two isotopes, Copper- 63 and Copper-65. Cu-63 is 69.16% abundant. Calculate the average atomic mass. 18) A sample of naturally occurring Silicon consists of Si-28, Si-29, and Si-30. Si-28 is 92.23% abundant, Si-29 is 4.67% and the remainder is Si-30. Calculate the average atomic mass of silicon. 19) Gallium has 2 common isotopes, Ga- 69 and Ga- 71. Which isotope is the most abundant and how do you know? 20) Write the electron configuration (long hand or short hand) for the following AND draw the orbital diagram: a. O²⁻ b. Ca c. Cl d. Mg⁺²

21) Explain the following trends across a period and down a column on the periodic table:

a. Atomic radius

b. Ionization energy

c. Electronegativity

22) Explain the rules for naming ionic compounds (type 1 and type 2, with and without polyatomic ions).

23) Explain the rules for writing formulas for ionic compounds (with and without polyatomic ions).

- 24) Explain the rules for naming covalent compounds.
- 25) Explain the rules for writing formulas for covalent compounds.
- 26) Explain the rules for naming acids (binary and ternary).
- 27) Explain the rules for writing formulas for acids.
- 28) Why do we call $Ba(NO_3)_2$ barium nitrate, but we call $Fe(NO_3)_2$ iron(II) nitrate?
- 29) Name the following and indicate if the substance is acidic, covalent, or ionic:

a.	HI	e.	FeS	i.	N ₂
b.	TiNO ₃	f.	HClO ₂	j.	PO₅
с.	(NH ₄) ₂ O	g.	C_2H_4	k.	CuCrO ₄
d.	H ₂ CO ₃	h.	HCN	Ι.	LiClO ₄
/rite t	he formula for the following and indica	te if	the substance is acidic, covalent, or ior	nic.	
a.	Silver chloride	f.	Nickel (I) hydroxide	j.	Triphosphorous
b.	Sodium Dichromate	g.	Hydrogen gas		octahydride

- 30) W
 - b. Sodium Dichromate
 - c. Sulfuric acid

h. Carbon monoxide

c. CO₃²⁻

- i. Gold (III) fluoride
- d. Cobalt (II) acetate e. Calcium phosphide
- 31) Draw the Lewis structure for the following:
 - a. N₂
 - d. CH₃Cl b. NH₃
- 32) What is the difference between a polar molecule and a polar bond?
- 33) What is the activity series and how is it used to predict products of chemical reactions?
- 34) What are the solubility rules?
- 35) Write the chemical equation for the following reactions. Be sure to balance and include states of matter:
 - a. Solid magnesium reacts with a solution of zinc nitrate.
 - b. Aluminum metal reacts with sulfuric acid.
 - c. Fluorine gas reacts with potassium chloride.
 - d. Cobalt reacts with chlorine gas to produce cobalt (II) chloride.
 - e. Sodium carbonate decomposes to produce sodium oxide and carbon dioxide gas.
 - f. Methane gas combusts.
 - g. Ethane gas (C_2H_6) is burned in oxygen gas.
 - h. Calcium hydroxide neutralizes hydrobromic acid.
 - i. Ammonium chloride reacts with a solution of silver nitrate.
- 36) Write the net ionic equation and identify the spectator ions for the following:
 - a. Hydrochloric acid is neutralized with a solution of sodium hydroxide
 - b. Acetic acid reacts with a solution of calcium hydroxide
 - c. Silver chloride solution reacts with nitric acid solution
- 37) Washing soda is a hydrate of sodium carbonate. Its formula is Na₂CO_{3°} xH₂O. A 2.714 g Sample of washing soda is heated until a constant mass of 1.006 g of Na₂CO₃ is reached. What is x?
- 38) Determine the empirical and molecular formula Ibuprofen, a headache remedy that contains 75.6 % C, 8.80 % H, and 15.5 % O by mass and has a molar mass about 206 g/mol.
- 39) Calculate the percent composition of oxygen in the following: a. H₂O b. $Al_2(SO_4)_3$
- 40) A compound is 79.08% carbon, 5.54% hydrogen, and 15.38% nitrogen. What is the molecular formula of this substance if the molar mass is 273.36 g/mol?
- 41) How many atoms are contained in 3.46 moles of magnesium?
- 42) What mass would 4.50L of helium gas be at STP?

- 3

- k. Phosphorous acid Ammonia
- Ι. m. Hydrobromic acid
- e. O₃

C. C6H12O6

- 43) Convert 256.3 g of Na_2CO_3 to atoms of Na.
- 44) What is the mass of 12.4 molecules of carbon tetrachloride?
- 45) How many moles are contained in 0.43 g of Al₂O₃?
- 46) Hydrogen gas and chlorine gas combine in a synthesis reaction. If 43g of hydrochloric acid are produced, how many grams of hydrogen gas was used?
- 47) Identify the limiting reactant when 1.22L of oxygen gas reacts with 1.05L of hydrogen gas to produce water vapor.
- 48) What mass of water can be produced when 5.87g of magnesium hydroxide reacts with 75.0 mL of 1.50 M sulfuric acid to produce liquid water and magnesium sulfate?
- 49) How much excess reactant remains when 7.81g of hydrochloric acid reacts with 5.24g of sodium hydroxide and produces liquid water and sodium chloride?
- 50) How many moles of Ca(OH)₂ will be produced when 43.25g of calcium carbide (CaC₂) reacts with 33.71g of liquid water to produce calcium hydroxide and acetylene (C₂H₂)?
- 51) How much excess reactant remains when 4.687g of sulfur tetrafluoride reacts with 6.281g of diiodine pentoxide to produce iodine pentafluoride and sulfur dioxide.
- 52) 3.74 g of sodium metal reacts with oxygen to produce sodium peroxide. If 5.34 g of sodium peroxide are recovered from this reaction, what is the percent yield?
- 53) What mass of cesium acetate are dissolved in 890. mL of a 0.900 M solution?
- 54) What is the molarity that was made by dissolving 250. g of hydrobromic acid in 675 mL of solution?
- 55) Your teacher asks you to prepare 500. mL of a 2.75 molar solution of NaCl for a lab. Write a step-by-step procedure describing how you would carry out this task.
- 56) Describe the step-by-step process of diluting 0.50L of a 1.0M solution of NaCl to a 0.50M solution of NaCl.
- 57) If 45 mL of water is added to 250mL of a 0.75 M K₂SO₄ solution, what will the molarity of the diluted solution be?
- 58) How much of a 5.00 M stock solution of copper (II) sulfate is needed to make 500.0 mL of a 0.35M solution?
- 59) If 10.0 mL of a 2.25 M sodium carbonate solution reacts with excess iron (III) chloride solution, what mass of iron (III) carbonate precipitates out of solution? $FeCl_3(aq) + Na_2CO_3(aq) \rightarrow Fe_2(CO_3)_3(s) + NaCl(aq)$
- 60) What volume of 0.20 M AgNO₃ will be needed to react completely with 25.0 mL of 0.50 M potassium phosphate? $AgNO_3 + K_3PO_4 \rightarrow Ag_3PO_4 + KNO_3$

Metric Conversions to Memorize:

Prefix	Abbreviation	Meaning	Amount = 1 base unit (g, L, m)
Giga	G	1 gigameter (Gm) = $1 \ge 10^9 \text{ m}$	1 g = 1 x 10 ⁻⁹ Gg
Mega	М	$1 \text{ megameter (Mm)} = 1 \times 10^6 \text{ m}$	1 g = 1 x 10 ⁻⁶ Mg
Kilo	k	1 kilometer (km) = $1 \times 10^3 \text{ m}$	1 g = 1 x 10 ⁻³ kg
Hecto	h	1 hectometer (hm) = $1 \ge 10^2$ m	1 g = 1 x 10 ⁻² hg
Deka	D or da	1 dekameter (Dm) = $1 \ge 10^{1} \text{ m}$	1 g = 1 x 10 ⁻¹ dag
Base Unit (g, L, m)			$1 \text{ g} = 1 \text{ x} 10^{\circ} \text{ g}$
Deci	d	$1 \text{ decimeter (dm)} = 1 \times 10^{-1} \text{ m}$	$1 \text{ g} = 1 \text{ x} 10^1 \text{ dg}$
Centi	с	1 centimeter (cm) = 1×10^{-2} m	$1 \text{ g} = 1 \text{ x} 10^2 \text{ cg}$
Milli	m	1 millimeter (mm) = $1 \ge 10^{-3} = 1 \ge 10^{-3}$ m	1 g = 1 x 10 ³ mg
Micro	μ (Greek letter mu)	1 micrometer (μ m) = 1 x 10 ⁻⁶ m	1 g = 1 x 10 ⁶ μg
Nano	n	$1 \text{ nanometer (nm)} = 1 \times 10^{-9} \text{ m}$	1 g = 1 x 10 ⁹ ng
Pico	р	1 picometer (pm) = $1 \ge 10^{-12} \text{ m}$	1 g = 1 x 10 ¹² pg

Polyatomic lons to Memorize:

lon	Name	lon	Name
NH4 ⁺	ammonium	CO3 ²⁻	carbonate
NO ₂ ⁻	nitrite	HCO3-	hydrogen carbonate
NO ₃ -	nitrate	-	(bicarbonate is a widely used
503 ²⁻	sulfite		common name)
s04 ²⁻	sulfate	C10-	hypochlorite
HSO ₄ -	hydrogen sulfate	C102-	chlorite
	(bisulfate is a widely used common name)	C103-	chlorate
OH-	hydroxide	ClO ₄ -	perchlorate
CN ⁻	cyanide	C2H3O2-	acetate
PO3 ³⁻	phosphite	MnO_4^-	permanganate
PO4 ³⁻	phosphate	${\rm Cr_2O_7}^{2-}$	dichromate
HPO ₄ ²⁻	hydrogen phosphate	CrO ₄ ²⁻	chromate
H ₂ PO ₄ ⁻	dihydrogen phosphate	02 ²⁻	peroxide

	Solubility Rules to	Memorize
	Soluble	
	lons	Exceptions
Rule	Group 1 metals, Ammonium	NONE
#1	(Group 1 metals, NH4 ⁺)	
Rule	Nitrate, Acetate, Chlorate, Perchlorate	NONE
#2	(NO ₃ ⁻ , C ₂ H ₃ O ₂ ⁻ , ClO ₃ ⁻ , ClO ₄ ⁻)	
Rule	Chloride, Bromide, Iodide	Silver, Mercury (II), Mercury (I), Lead (II)
#3		(Ag ⁺ , Hg ⁺² , Hg ₂ ⁺² , Pb ⁺²)
	(Cl⁻, Br⁻, l⁻)	*Note: Copper (II) is insoluble with Iodide ion (Cu ⁺²)
Rule	Sulfate	Silver, Mercury (I), Lead (II), Calcium, Strontium, Barium
#4	(SO ₄ ²⁻)	(Ag ⁺ , Hg ₂ ⁺² , Pb ⁺² , Ca ⁺² , Sr ⁺² , Ba ⁺²)
	Insolubi	e
	lons	Exceptions
Rule	Sulfide, Fluoride, Carbonate, Phosphate, Sulfite, Chromate	Group 1 metals, Ammonium
#5	(S ²⁻ , F ⁻ , CO ₃ ²⁻ , PO ₄ ³⁻ , SO ₃ ²⁻ , CrO ₄ ²⁻)	(Group 1 metals, NH ₄ ⁺)
Rule	Hydroxide, Oxide	Group 1 metals, Ammonium, Calcium, Strontium, Barium
#6	(OH [−] , O ^{2−})	(Group 1 metals, NH_4^+ , Ca^{+2} , Sr^{+2} , Ba^{+2})

C TABLE OF THE ELEMENTS 13 14 15 5 6 7 8 9 10 11 12 30 13 14 15 14 15 13 14 15 14 15 13 14 15 14 15 30 15 31 32 33 14 15 31 32 33 14 15 41 50 31 32 33 16 70 81 70 31 32 33 16 70 81 82 69.72 72.63 74.92 101.1 102.91 106.42 107.81 112.41 114.82 118.71 121.76 76 77 78 79 80 50 51 76 77 78 79 80 20 51 76 77 78 70 81 82 83 76 77 78 70 81 82 83 76 77 78 70 81 82 83 76 <								LON O	DETA	DO NOT DETACH FROM BOOK.	tom B	00K.							
	-				PE	RIO	DIC	TAI	BLE	OF,	THE	EL	EMI	ENT	\mathbf{s}			18°	
		0											13	14	15	16	17	He	
Be C N 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 21 22 2430 31 22 23 24 26 7 8 9 10 11 12 259 309 309 309 309 30 31 32 33 39 40 11 12 23 33 39 40 11 12 200 31 32 33 39 40 41 42 43 44 45 46 47 48 49 50 51 7403 7403 7403 7403 7403 7403 7403 7403 7403 740		4											5	9	7	8	6	9	
9.01 12 10.81 10.81 13 140 NG 3 4 5 6 7 20 21 22 23 24 5 6 7 14.01 20 21 22 23 24 25 26 33 33 24 24 24 24 25 26 33 38 39 31 32 32 38 32 24 55 55 55 32 33 32 32 32 32 32 32 32 <th colsp<="" th=""><th></th><th>Be</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>В</th><th>J</th><th>Z</th><th>0</th><th>F</th><th>Ne</th></th>	<th></th> <th>Be</th> <th></th> <th>В</th> <th>J</th> <th>Z</th> <th>0</th> <th>F</th> <th>Ne</th>		Be											В	J	Z	0	F	Ne
		9.01											10.81	12.01	14.01	16.00	19.00	20.18	
Mg AI Si P 24.30 3 4 5 6 7 8 9 10 11 12 26.98 28.09 3097 24.30 21 22 23 24 55 6 7 8 9 10 11 12 26.98 3097 20 21 22 23 24 25 26 27 28 9 31 32 339 40.08 44.96 473 40 41 42 44 45 46 47 48 49 50 51 87.6 8891 91.22 92.91 92.95 93.93 58.69 63.55 65.38 69.72 72.63 7192 87.6 88.9 91.22 91.22 92.91 100.11 102.81 106.42 107.81 114.88 118.71 $1217.$		12											13	14	15	16	17	18	
24.30 3 4 5 6 7 8 9 10 11 12 26.98 28.09 30.97 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 33.3 34.9 50.94 52.00 54.94 55.85 58.93 58.69 63.55 65.38 69.72 74.92 33.3 38 39 40.06 41.96 71.87 50.94 52.00 54.94 55.85 58.93 58.69 63.55 65.38 69.72 74.92 74.95 76 77 48 49.9 50.72 74.92 73.87 77.87 112.41 114.82 118.71 121.76 87.05 88.91 91.222 92.91 92.92 97.92 77.8 87.92 87.92 87.92 87.92 87.92		Mg	(١	١	I	(((,	(Ч	Si	4	s	IJ	Ar	
		24.30	c	4	S	9		×	6	10	11	12	26.98	28.09	30.97	32.06	35.45	39.95	
	-	20	21	22	23	24		26	27	28	29	30	31	32	33	34	35	36	
40.08 44.96 47.87 50.94 52.00 54.94 55.85 58.93 58.69 63.55 65.38 69.72 72.63 74.92 50 51 38 39 40 41 42 43 44 45 46 47 48 49 50 51 Sr Y Zr Nb Mo Tc Ru Rh Pd Ag 26 57 74 50 50 51 56 57 72 73 74 75 76 77 78 79 80 81 114.82 118.71 121.76 87.62 57 72 73 74 75 76 77 78 79 80 81 82 83 137.33 138.91 178.49 180.95 186.21 190.2 106.43 107.87 108.97 206.59 207.2 208.98 137.33 138.91 178.49		Ca	Sc	Ë	>	\mathbf{C}		Fe	చి	Ż	Cu	Zn	Ga	Ge	\mathbf{As}	Se	Br	Kr	
38 39 40 41 42 43 44 45 46 47 48 49 50 51 Sr Y Zr Nb Mo Tc Ru Rh Pd Ag Cd In Sn 50 51 87.62 88.91 91.22 92.91 95.95 (97) 101.1 102.91 106.42 107.87 112.41 In Sn Sh 56 57 72 73 74 75 76 77 78 79 80 81 82 83 Ba *La Hf Ta W Re Os 17 78 79 80 81 82 83 82 83		\$0.08	44.96	47.87	50.94	52.00		55.85	58.93	58.69	63.55	65.38	69.72	72.63	74.92	78.97	79.90	83.80	
		38	39	40	41	42		44	45	46	47	48	49	50	51	52	53	54	
87.62 88.91 91.22 92.91 95.95 (97.1) 107.87 112.41 114.82 118.71 121.76 56 57 72 73 74 75 76 77 78 79 80 81 82 83 Ba $*La$ Hf Ta W Re Os Ir Pt Au Hg $T1$ Pb Bi 137.33 138.91 178.49 180.95 183.84 186.21 190.2 195.08 196.97 204.38 207.2 208.98 137.33 138.91 178.49 180.95 188.21 190.2 195.97 108.97 108.97 108.97 108.97 208.98 $209.264.38$ 207.22 208.98 88 89 104 105 106 107 110 111 112 114 115 Ra thc		Sr.	Υ	\mathbf{Zr}	q	M_0		Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	Ι	Xe	
56 57 72 73 74 75 76 77 78 79 80 81 82 83 Ba *La Hf Ta W Re Os Ir Pt Au Hg Tl Pb Bi 137.33 138.91 178.49 180.95 183.84 186.21 190.2 192.2 195.08 106.97 200.59 204.38 207.2 208.98 88 89 104 105 106 107 108 109 110 111 112 113 114 115 Ra fAc Rf Db Sg Bh Hs Mt Ds Rg Cn Uut Fl Uut 2265 (227) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (281) (282) <th></th> <td>\$7.62</td> <td>88.91</td> <td>91.22</td> <td>92.91</td> <td>95.95</td> <td></td> <td>101.1</td> <td>102.91</td> <td>106.42</td> <td>107.87</td> <td>112.41</td> <td>114.82</td> <td>118.71</td> <td>121.76</td> <td>127.60</td> <td>126.90</td> <td>131.29</td>		\$7.62	88.91	91.22	92.91	95.95		101.1	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.60	126.90	131.29	
Ba *La Hf Ta W Re Os Ir Pt Au Hg Tl Pb Bi 137.33 138.91 178.49 180.95 183.84 186.21 190.2 192.2 195.97 200.59 204.38 207.2 208.98 88 89 104 105 106 107 108 109 111 112 113 114 115 Ra [†] Ac Rf Db Sg Bh Hs Mt Ds Rg Cn Uut Fl Uup (226) (227) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (281) (285) (285) (289) (288) (280) (288) (280) (280) (280) (280) (280) (280) (280) (280) (280) (280) (280) (280) (280) <		56	57	72	73	74		76	TT	78	79	80	81	82	83	84	85	86	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		Ba	*La	JΗ	Ta	Μ		0s	ľ	Pt	Αu	Hg	IT	Pb	Bi	\mathbf{P}_{0}	At	Rn	
88 89 104 105 106 107 108 109 110 111 112 113 114 115 Ra $^{+}$ Ac Rf Db Sg Bh Hs Mt Ds Rg Cn Uut Fl Uup (226) (227) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (270) (281) (282) (285) (289) (288)		37.33	138.91	178.49	180.95	183.84	186.21	190.2	192.2	195.08	196.97	200.59	204.38	207.2	208.98	(209)	(210)	(222)	
Ra [†] Ac Rf Db Sg Bh Hs Mt Ds Rg Cn Uut Fl Uup (226) (227) (270) (271) (270) (271) (270) (271) (270) (271) (270) (271) (281) (282) (285) (289) (288)		88	89	104	105	106		108	109	110	111	112	113	114	115	116	117	118	
226) (227) (267) (270) (271) (270) (271) (270) (277) (276) (281) (282) (285) (285) (289) (288)		Ra	tAc	Rf	Db	\tilde{s}_{0}		$\mathbf{H}_{\mathbf{S}}$	Mt	$\mathbf{D}_{\mathbf{S}}$	$\mathbf{R}_{\mathbf{g}}$	Cu	Uut	F	Uup	$\mathbf{L}\mathbf{v}$	Uus	Uuo	
	_	(226)	(227)	(267)	(270)	(271)	(270)	(277)	(276)	(281)	(282)	(285)	(285)	(289)	(288)	(293)	(294)	(294)	

	58	59	60	61	62	63	4	65	66	67	68	69	70	71
*Lanthanoid Series	Ce	\Pr	ΡN	Pm	\mathbf{Sm}	Eu	Gd	τb	Dy	H ₀	Er	$\mathbf{T}\mathbf{m}$	Υb	Lu
	140.12	140.91	144.24	(145)	150.4	151.97	157.25	158.93	162.50	164.93	167.26	168.93	173.05	174.97
	90	91	92	93	94	95	96	97	98	66	100	101	102	103
† Actinoid Series	Τћ	Pa	D	dN	Pu	Am	Cm	Bk	c	\mathbf{Es}	Fm	ΡМ	°N N	Lr
	232.04	231.04	238.03	(237)	(244)	(243)	(247)	(247)	(251)	(252)	(257)	(258)	(259)	(262)